



AGRICULTURAL TRACKS LINEUP FOR CASE IH




We are dedicated to supporting farmers in every step of their operations. For customer service, contact us toll free at 1 844 CAMSOAG, or 1 317 671-7327, or by email at Ag.ProductSupport@camso.co

**CONNECT WITH US FOR EXCLUSIVE
ROAD FREE CONTENT**



camso.co





DRIVING FARMING FORWARD

CAMSO AND CASE IH

Every day, we ask ourselves: “Is there a better way to drive farming forward?” We believe there is – by providing mobility solutions to help you get the job done.

At Camso, we do it by developing and manufacturing the broadest range of tracks for all farming applications. Camso tracks increase mobility and flotation, and reduce soil compaction.

From field preparation to planting, harvesting and transport, Camso tracks help maximize your work while lowering your operating costs.

**OUR TRACKS ARE THE APPROVED CHOICE
OF MANUFACTURERS, ENDORSED BY DEALERS
AND RECOGNIZED BY FARMERS.**

COMPLETE LINEUP

CASE IH STEIGER AND MAGNUM TRACTORS

Camsco offers the broadest range of tracks for your Case IH tractor.

CASE IH STEIGER QUADTRAC SERIES



CAMSO AG
6500



CAMSO SCR
6500



CAMSO AG
3500

CASE IH STEIGER AND MAGNUM ROWTRAC MY18 AND PRIOR SERIES



CAMSO AG
6500



CAMSO AG
3500

CASE IH STEIGER AND MAGNUM ROWTRAC MY19 SERIES



CAMSO RD
4500


CASE IH STEIGER QUADTRAC SERIES

DESIGNED TO CASE IH SPECIFICATIONS, CAMSO TRACKS PROVIDE THE BEST BALANCE OF TREAD BAR LIFE AND DRIVE LUG DURABILITY TO MAXIMIZE THE PERFORMANCE AND EFFICIENCY OF YOUR TRACTOR.



FEATURES AND BENEFITS

CASE IH STEIGER QUADTRAC SERIES



High-grade rubber compounds

Maximizes performance and durability



Long lasting tread bar

Best balance between traction, cleanout and flotation, providing optimal traction and ride quality



Longest lasting carcass

No material displacement during the manufacturing and curing process means increased durability and performance



Optimized positive drive lugs

Drive lug geometry designed specifically for Case IH Steiger Quadtrac drive wheel, allowing for maximum power transfer


























Drive lug reinforcement

6500 only: Cams'os unique feature designed to minimize risk of wear and tear in demanding high-pull applications

THE RIGHT TRACK FOR YOUR APPLICATION

CASE IH STEIGER QUADTRAC SERIES



TRACK SERIES	APPLICATIONS	SUGGESTED ANNUAL HOUR USAGE	FEATURES	PERFORMANCE
CAMSO AG 6500	AG scraper, ripper, heavy tillage and row crop	1000+	 1  2  3  4  5 High-grade rubber compounds Long lasting tread bar Longest lasting carcass Optimized positive drive lugs Drive lug reinforcement	DRIVE LUG DURABILITY  TREAD BAR LIFE  CARCASS DURABILITY 
CAMSO SCR 6500	Scraper	1000+	 1  2  3  4  5 High-grade rubber compounds Long lasting tread bar Longest lasting carcass Optimized positive drive lugs Drive lug reinforcement	DRIVE LUG DURABILITY  TREAD BAR LIFE  CARCASS DURABILITY 
CAMSO AG 3500	General tillage and row crop	100 to 1000	 1  2  3  4 High-grade rubber compounds Long lasting tread bar Longest lasting carcass Optimized positive drive lugs	DRIVE LUG DURABILITY  TREAD BAR LIFE  CARCASS DURABILITY 

CAMSO TRACK FOR CASE IH STEIGER QUADTRAC

EXCLUSIVE 32" TRACK WIDTH

Perfect fit for all applications

- Improved idler and roller protection for longer life
- Reduced operating and maintenance cost
- Interchangeable with 30" track
- Available in 3500, 6500 and 6500 Scraper



TECHNICAL SPECIFICATIONS CASE IH STEIGER QUADTRAC SERIES

CAMSO Track series	CASE IH Tractor model	Track width (in.)	Part number	Tread				Drive lugs		Carcass		
				Qty	Height (in.)	Tip width (in.)	Pitch (in.)	Qty	Length (in.)	Bias ply	Main cable size (mm)	Thickness (mm)
6500	Steiger Quadtrac	30	E30BE02858	84	2	1.7	6	42	4.2	3	5.4	35
		30	E30BE02837 Scraper	84	1.6	2.4	6	42	4.2	3	5.4	35
		32	E32BF03178	84	2	1.7	6	42	4.2	3	5.4	35
		32	E32BF03189 Scraper	84	1.6	2.4	6	42	4.2	3	5.4	35
		36	E36BE02857	84	2	1.7	6	42	4.2	3	5.4	35
	9300		30	E30BD02855	78	2	1.7	6	39	4.2	3	5.4
		30	E30BD02856 Scraper	78	1.6	2.4	6	39	4.2	3	5.4	35
3500	Steiger Quadtrac	30	634-3023	84	2	1.7	6	42	4.2	3	5.4	35
		32	B32BF03177	84	2	1.7	6	42	4.2	3	5.4	35
		36	634-3616	84	2	1.7	6	42	4.2	3	5.4	35
	9300	30	634-3026	78	2	1.7	6	39	4.2	3	5.4	35
		36	634-3638	78	2	1.7	6	39	4.2	3	5.4	35

Warranty: Camso is the industry standard for warranty coverage on Agricultural tracks. Tracks are warrantied against defects in materials and workmanship, and prorated based on both time and usage, so customers receive fair value on warranty replacement tracks. Some conditions apply. Refer to the warranty certificate for details. For more info, visit camso.co/agriculture

CASE IH


STEIGER AND MAGNUM ROWTRAC MY18 AND PRIOR SERIES

DESIGNED TO CASE IH SPECIFICATIONS, CAMSO TRACKS PROVIDE THE BEST BALANCE OF TREAD BAR LIFE AND DRIVE LUG DURABILITY TO MAXIMIZE THE PERFORMANCE AND EFFICIENCY OF YOUR TRACTOR.



FEATURES AND BENEFITS

CASE IH STEIGER AND MAGNUM ROWTRAC MY18 AND PRIOR SERIES



High-grade rubber compounds

Maximizes performance and durability



Long lasting tread bar

Best balance between traction, cleanout and flotation, providing optimal traction and ride quality




Longest lasting carcass

No material displacement during the manufacturing and curing process means increased durability and performance



Optimized positive drive lugs

Drive lug geometry designed specifically for Case IH Steiger and Magnum Rowtrac drive wheel, allowing for maximum power transfer


















Drive lug reinforcement

6500 only: Camso's unique feature designed to minimize risk of wear and tear in demanding high-pull applications

THE RIGHT TRACK FOR YOUR APPLICATION

**CASE IH
STEIGER AND MAGNUM
ROWTRAC MY18
AND PRIOR SERIES**



TRACK SERIES	APPLICATIONS	SUGGESTED ANNUAL HOUR USAGE	FEATURES	PERFORMANCE
CAMSO AG 6500	Heavy tillage and row crop	1000+	 1  2  3  4  5 High-grade rubber compounds Long lasting tread bar Longest lasting carcass Optimized positive drive lugs Drive lug reinforcement	DRIVE LUG DURABILITY  TREAD BAR LIFE  CARCASS DURABILITY 
CAMSO AG 3500	General tillage and row crop	100 to 1000	 1  2  3  4 High-grade rubber compounds Long lasting tread bar Longest lasting carcass Optimized positive drive lugs	DRIVE LUG DURABILITY  TREAD BAR LIFE  CARCASS DURABILITY 

Camso 3500 and 6500 series tracks should only be used on Case IH Steiger and Magnum Rowtrac MY18 and prior series

CAMSO TRACK FOR CASE IH STEIGER AND MAGNUM ROWTRAC

EXCLUSIVE 21" TRACK WIDTH

- Improved idler and roller protection for longer life
- Reduced operating and maintenance cost
- Improved flotation over 16" and 18" tracks
- Interchangeable with 18" track



TECHNICAL SPECIFICATIONS

CASE IH STEIGER AND MAGNUM ROWTRAC MY18 AND PRIOR SERIES

CAMSO Track series	CASE IH Tractor model	Track width (in.)	Part number	Tread				Drive lugs		Carcass		
				Qty	Height (in.)	Tip width (in.)	Pitch (in.)	Qty	Length (in.)	Bias ply	Main cable size (mm)	Thickness (mm)
6500	Steiger and Magnum Rowtrac	16	E16BG03459	88	1.6	2.4	6	44	4.7	3	5.4	35
		18	E18BG03460	88	1.6	2.4	6	44	4.7	3	5.4	35
		21	E21BG03461	88	1.6	2.4	6	44	4.7	3	5.4	35
		24	E24BG03462	88	1.6	2.4	6	44	4.7	3	5.4	35
		30	E30BG03463	88	1.6	2.4	6	44	4.7	3	5.4	35
3500	Steiger and Magnum Rowtrac	16	B16BG03194	88	1.6	2.4	6	44	4.2	3	5.4	35
		18	B18BG03195	88	1.6	2.4	6	44	4.2	3	5.4	35
		21	B21BG03200	88	1.6	2.4	6	44	4.2	3	5.4	35
		24	B24BG03196	88	1.6	2.4	6	44	4.2	3	5.4	35
		24	B24BG03175 High traction	88	2	1.7	6	44	4.2	3	5.4	35
		30	B30BG03197	88	1.6	2.4	6	44	4.2	3	5.4	35
		30	B30BG03176 High traction	88	2	1.7	6	44	4.2	3	5.4	35

Warranty: Camso is the industry standard for warranty coverage on Agricultural tracks. Tracks are warrantied against defects in materials and workmanship, and prorated based on both time and usage, so customers receive fair value on warranty replacement tracks. Some conditions apply. Refer to the warranty certificate for details. For more info, visit camso.co/agriculture

CASE IH


MAGNUM AND STEIGER ROWTRAC MY19 SERIES

DESIGNED TO CASE IH
SPECIFICATIONS, CAMSO TRACKS
PROVIDE THE BEST BALANCE
OF TREAD BAR LIFE AND DRIVE LUG
DURABILITY TO MAXIMIZE
THE PERFORMANCE AND EFFICIENCY
OF YOUR TRACTOR.



FEATURES AND BENEFITS

CASE IH MAGNUM AND STEIGER ROWTRAC MY19 SERIES



High-grade rubber compounds

Maximizes performance and durability



High roading tread bar

Enhanced tread bar shape and advanced rubber compounds allowing for faster speeds




Longest lasting carcass

Most durable, consistent and predictable performance due to Camso's unique manufacturing and curing process



Optimized drive lugs

Drive lug geometry specifically designed for Case IH Steiger and Magnum Rowtrac drive wheel, allowing for maximum power transfer



4-Ply carcass

New carcass specifically designed for high-speed roading, enduring higher internal temperatures

CAMSO RD 4500 TRACK FOR MY19 ROWTRAC SERIES

Faster roading speeds, best-in-class performance and durability

- Up to 50% faster than previous generation when travelling with implements
- Reduced travel time on the road means up to a 16% increase in field productivity
- Maximized uptime, in the field and on the road

Camso offers the broadest range of track width for Case IH Steiger and Magnum Rowtrac:
16, 18, 21, 24 and 30 in.





TECHNICAL SPECIFICATIONS

CASE IH MAGNUM AND STEIGER ROWTRAC MY19 SERIES

CAMSO Track series	CASE IH Tractor model	Track width (in.)	Part number	Tread				Drive lugs		Carcass		
				Qty	Height (in.)	Tip width (in.)	Pitch (in.)	Qty	Length (in.)	Bias ply	Main cable size (mm)	Thickness (mm)
RD 4500	Rowtrac	16	F16BG03401	88	1.8	3.2	6	44	4.7	4	5.4	35
		18	F18BG03374	88	1.8	3.2	6	44	4.7	4	5.4	35
		21	F21BG03413	88	1.8	3.2	6	44	4.7	4	5.4	35
		24	F24BG03397	88	1.8	3.2	6	44	4.7	4	5.4	35
		30	F30BG03402	88	1.8	3.2	6	44	4.7	4	5.4	35



Warranty: Camso is the industry standard for warranty coverage on Agricultural tracks. Tracks are warrantied against defects in materials and workmanship, and prorated based on both time and usage, so customers receive fair value on warranty replacement tracks. Some conditions apply. Refer to the warranty certificate for details. For more info, visit camso.co/agriculture

DRIVEN BY QUALITY PERFORMANCE AND DURABILITY FROM THE INSIDE OUT

Camso longest lasting carcass

No material displacement during the manufacturing and curing process means:

- Rubber compounds located exactly where you need them
- Uniform tension distribution, minimizing downtime due to carcass tear
- A product with increased durability and performance

CAMSO'S UNIQUE SINGLE CURE PROCESS	COMPETITOR MOLDING PROCESS
 <p>Even tread rubber</p> <p>Even cable layout</p> <p>X-RAY</p>	 <p>X-RAY</p>
DURABLE, CONSISTENT AND PREDICTABLE PERFORMANCE	

